

References:

- Abrantes, K, Semmens, J, Lyle, JM and Nichols, PD 2010, *Can Biochemical methods determine if salmonids feed and thrive after escaping from aquaculture cages? A Pilot Study*. NRM Cradle Coast Project No. CCCPR24006.
- Allen, GL and Simpson, JH 1998, 'Deep water inflows to Upper Loch Linnhe', *Estuarine Coastal and Shelf Science* 47:487–498.
- Allen, GL and Simpson, JH 2002, 'The response of a strongly stratified fjord to energetic tidal forcing', *Est., Coast & Shelf Sci*, 55 (4):629-644.
- Allsopp, M, Johnston, P and Santillo, D 2008, *Challenging the aquaculture industry on sustainability*, Amsterdam. Greenpeace. 22 pp.
- Andre, J, Pedl, G and Hobday, A 2009, *Ecosystem Responses to Climate Change in the Ocean, Information Sheet 2*. Adaption Research Network for Marine Biodiversity & Resources, School of Geography and Environmental Studies, University of Tasmania.
- Anon 2008, *What to do in the event of an escape of fish from a fish farm. Guidance on the escape provisions of the Registration of Fish Farming and Shellfish Farming Businesses (Amendment)(Scotland) order 2008*, 10 pp. (<http://www.scotland.gov.uk/Resource/Doc/1062/0064700.pdf>).
- Anon 2010, *A Code of Good Practice for Scottish Finfish Aquaculture*, (<http://www.thecodeofgoodpractice.co.uk/>)
- ANRA 2001, *Rivers - Nutrient Loads and Transport – Tasmania*. From 2000-2002 National Land and Water Resources Audit theme assessments.
- <http://www.anra.gov.au/topics/water/nutrients/tas/index.html>
- ANZECC 2000, *Australian Water Quality Guidelines for Fresh and Marine Waters*, Australian and New Zealand Environment and Conservation Council.
- Aquenal Pty Ltd 2003, *Exotic Marine Pests Survey, Small Ports, Tasmania*, Report for DPIWE.
- Arneborg, L, and Liljebladh, B 2001, 'The internal seiches in Gullmar Fjord. Part II: Contribution to basin water mixing', *J. Phys. Oceanogr* 31:2567-2574.
- Arneborg, L, Erlandsson, CP, Liljebladh, B, Stigebrandt, A 2004, 'The rate of inflow and mixing during deepwater renewal in a sill fjord', *Limnol. Oceanogr.* 49:768-777.
- Aure, J and Stigebrandt, A 1990, 'Quantitative estimates of eutrophication effects on fjords of fish farming', *Aquaculture* 90:135-156.
- Australian Heritage Places Inventory, accessed 18/3/2011 <<http://www.heritage.gov.au/ahpi/about.html>>
- Backhouse, G, Jackson, J and O'Connor, J 2008a, *National Recovery Plan for the Australian Grayling Prototroctes maraena*, Department of Sustainability and Environment, Melbourne.
- Bannear, D 1991, *King River to Kelly Basin archaeological survey: A survey of the history and prehistory of Macquarie Harbour's northern shore*, Occasional Paper No. 29, Department of Parks, Wildlife and Heritage and Forestry Commission, Tasmania.

- Bartley, DM, Brugere, C, Soto, D, Gerber, P and Harvey, B 2007, *Comparative assessment of the environment costs of aquaculture and other food production sectors: methods of meaningful comparisons*, Rome. FAO Fisheries Proceedings, No 10, 240 pp. FAO.
- Bash, J, Berman, C, and Bolton, S 2001, *Effects of Turbidity and Suspended Solids on Salmonids*, Center for Streamside Studies, University of Washington.
- Battaglione, S, Carter, C, Hobday AJ, Lyne V and Nowak B 2008, *Scoping Study into Adaptation of the Tasmanian Salmonid Aquaculture Industry to Potential Impacts of Climate Change. National Agriculture & Climate Change Action Plan: Implementation Programme Report*, TAFI, Hobart.
- Bryant, S.L and Jackson, J 1999, *Tasmania's Threatened Fauna Handbook: what, where and how to protect Tasmania's threatened animals. Threatened Species Unit, Parks and Wildlife Service, Hobart.*
- Bell, JD, Berra, TM, Jackson, PD, Last, PR and Sloane, RD 1980, 'Recent records of the Australian grayling *Prototroctes maraena* Günther (Pisces: Prototroctidae) with notes on its distribution', *The Australian Zoologist* 20: 419-431.
- Berg, L 1982, 'The effect of exposure to short-term pulses of suspended sediment on the behavior of juvenile salmonids' pp. 177-196 in G.F. Hartman et al. (eds.) *Proceedings of the Carnation Creek workshop: a ten-year review*. Department of Fisheries and Oceans, Pacific Biological Station, Nanaimo, Canada.
- Berra, TM 1982, 'Life history of the Australian grayling, *Prototroctes maraena* (Salmoniformes: Prototroctidae) in the Tambo River, Victoria', *Copeia* 1982: 795-805.
- Binks, CJ 1988, *Pioneers of Tasmania's west coast*, Blubber Head Press, Hobart.
- Bishop, KA and Bell, JD 1978b, 'Aspects of the biology of the Australian grayling *Prototroctes maraena* Günther (Pisces: Prototroctidae)', *Australian Journal of Marine and Freshwater Research* 29: 743-761.
- Blainey, G 1978, *The peaks of Lyell*, Melbourne University Press, Melbourne.
- Boydton, WR, Kemp, WM and Keefe, CW 1982, 'A comparative analysis of nutrients and other factors influencing estuarine phytoplankton production', In: Kennedy, V., ed. *Estuarine Comparisons*. San Diego: Academic Press.
- Brooks, KM 2004, *The affects of dissolved copper on salmon and the environmental effects associated with the use of wood preservatives in aquatic environments*, Assessment prepared for: Western Wood Preservers Institute. 7017 NE Highway 99, Suite 108 Vancouver, Washington 98665.
- Brown, PB and Wilson, RI 1984, *Orange-bellied Parrot Recovery Plan*, National Parks and Wildlife Service, Hobart, Tasmania.
- Bruce, B.D., M.A. Green & P.R. Last (1997). *Developing captive husbandry techniques for spotted handfish *Brachionichthys hirsutus*, and monitoring the 1996 spawning season*. Page(s) 22pp. Repor to Endangered Species Unit, Env. Aust. CSIRO Div. Marine Research, Hobart.
- Bruce, B. (1998). 'Progress on Spotted Handfish Recovery', *On the brink!. Threatened Species and Communities*. 11:9.
- Bruce, B.D. & M.A. Green (1998). *Spotted Handfish Recovery Plan 1999-2001*. [Online]. EA. Available from: <http://www.environment.gov.au/biodiversity/threatened/publications/recovery/spotted-hand-fish/index.html>.

- Buckley, JT, Roch, M, McCarter, JA, Rendell, CA, Matheson, AT 1982, 'Chronic exposure of coho salmon to sublethal concentrations of copper—I. Effect on growth, on accumulation and distribution of copper, and on copper tolerance', *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology* 72(1):15-19.
- Bunting, S and Pretty, J 2007, *Aquaculture development and global carbon budgets: emissions, sequestrations and management options*. UK, University of Essex, Centre for Environment and Society, Occasional Paper 2007-1: 39 pp.
- Cadwallader, PL 1996, *Overview of the Impacts of Introduced Salmonids on Australian Native Fauna*, Australian Nature Conservation Agency, Canberra.
- Camargo, JA, Alonso, A, Salamanca, A 2005, 'Nitrate toxicity to aquatic animals: a review with new data for freshwater invertebrates', *Chemosphere* 58(9):1255–1267.
- Canfield, DE, Jorgensen, BB, Fossing, H, Glud, R, Gundersen, J, Ramsing, NB, Thamdrup, B, Hansen, JW, Nielsen, LP, and Hall, POJ 1993a, 'Pathways of organic-carbon oxidation in three continental-margin sediments', *Mar. Geol.* 113: 27–40.
- Canon, GA, Holbrook, JR and Paskinski, DJ 1990, 'Variations in the onset of bottom water intrusions over the entrance sill of a fjord', *Estuaries* 13:31-42.
- Carlton, JT 1989, 'Man's role in changing the face of the ocean: biological invasions and implications for conservation of nearshore environments', *Conserv Biol.* 3:265-273.
- Carpenter, PD, Butler, ECV, Higgins, HW, Mackey, DJ and Nichols, PD 1991, 'Chemistry of trace elements, humic substances and sedimentary organic matter in Macquarie Harbour, Tasmania', *Australian Journal of Marine and Freshwater Research* 42 (6) 625-654.
- Chamberlain, J, Fernandes, TF, Read, P, Nickell, TD. and Davies, IM 2001, 'Impacts of biodeposits from suspended mussel (*Mytilus edulis* L.) culture on the surround surficial sediments', *ICES Journal of Marine Science* 58:411-416.
- Chantler, P. (1999). Apodidae (swifts) species accounts. In: del Hoyo, J., A. Elliott & J. Sargatal, eds. Handbook of the Birds of the World. Volume 5. Barn-owls to Hummingbirds. Page(s) 419-457. Barcelona: Lynx Edicions.
- Clements, J 1988, *Salmon at the Antipodes - A History and Review of Trout, Salmon and Char and Introduced Coarse Fish in Australasia*. Published by John Clements. 387 pp.
- Commonwealth of Australia 2009, *Matters of National Environmental Significance, Significant Impact Guidelines 1.1, Environment Protection and Biodiversity Conservation Act 1999*, Department of the Environment, Water, Heritage and the Arts, Canberra, , <<http://www.environment.gov.au/epbc/publications/pubs/neg-guidelines.pdf>>.
- Crawford, RE and Allen, GH 1977, 'Seawater inhibition of nitrite toxicity to chinook salmon', *Transactions of the American Fisheries Society* 106:105-109.
- Cresswell, GR, Edwards, RJ, and Barker, BA 1989, 'Macquarie Harbour, Tasmania – Seasonal Oceanographic surveys in 1985', *Papers and Proceedings of the Royal Society of Tasmania* 123:63-66.

- Cromey, CJ and Black, KD 2005, 'Modelling the impacts of finfish aquaculture', Chapter 7, in: *The Handbook of Environmental Chemistry. Environmental Effects of Marine Finfish Aquaculture. Volume 5: Water Pollution*, Springer, Berlin Heidelberg New York.
- Cromey, CJ, Nicfcell, TD and Black, KD 2002a, 'DEPOMOD – Modelling the deposition and biological effects of waste solids from marine cage farms', *Aquaculture* 214: 211-239.
- Cromey, CJ, Nickell, TD, Black, KD, Provost, PG and Griffiths, CR 2002b, 'Validation of fish farm waste re-suspension model by use of a particulate tracer discharging from a point source in a coastal environment', *Estuaries* 25, 916-929.
- Crook, DA, Macdonald, JI, O'Connor, J and Barry, B, In prep., 'Use of otolith chemical analysis to examine patterns of diadromy in Australian Grayling (*Prototroctes maraena*)'.
- Davidson, RC, Breese, WP, Warren, CE and Doudoroff, P 1959, 'Experiments on the dissolved oxygen requirements of cold water fishes', *Sewa. and Inds. wastes*. 31:950-966.
- Davies, PE, Cook, LSJ, Risdon, M 2000, *Toxicological evaluation of acid mine drainage waste water treatment options at Mt Lyell, Tasmania*. Mount Lyell Acid Drainage Remediation Program
- De Nicola, E, Meriç, S, Gallo, M, Iaccarino M, Della Rocca, C, Lofrano, G, Russo, T, Pagano, G 2007, 'Vegetable and synthetic tannins induce hormesis/toxicity effects in sea urchin early development and in algal growth', *Environ. Pollut.* 146:46-54.
- De Silva, SS and Soto, D 2009, *Climate change and aquaculture: potential impacts, adaptation and Mitigation*. FAO Fisheries and Aquaculture Technical Paper 530 (Climate change implications for fisheries and aquaculture).
- Department of British Columbia Environment Protection Division 1997, *Ambient Water Quality Criteria for Dissolved Oxygen, Prepared pursuant to Section 2(e) of the Environment Management Act, 1981*.
- Department of the Environment, Water, Heritage and the Arts 2008, *National Recovery Plan for Australian Grayling*, Department of Environment, Water, Heritage and the Arts, viewed 20 April 2010, <<http://www.environment.gov.au/biodiversity/threatened/publications/recovery/australian-grayling/index.html>>
- Department of the Environment, Water, Heritage and the Arts 2009, *Alpine Sphagnum Bogs and Associated Fens A Nationally Threatened Ecological Community Environment Protection and Biodiversity Conservation Act 1999 Policy Statement 3.16*, Australian Government, Canberra.
- Department of the Environment, Water, Heritage and the Arts 2009, *Background Paper to the Draft EPBC Act Policy Statement 3.14: Significant Impact Guidelines for the vulnerable growling grass frog (Litoria raniformis)*, Department of the Environment, Water, Heritage and the Arts, Canberra, viewed 20 April 2010, <http://www.environment.gov.au/epbc/publications/pubs/litoria-raniformis-background-paper.pdf>>
- Department of the Environment, Water, Heritage and the Arts 2010, *Lowland Native Grasslands of Tasmania — a nationally threatened ecological community. Environment Protection and Biodiversity Conservation Act 1999 Policy Statement 3.18*, Australian Government, Canberra.
- Department of Primary Industries and Water 2006, *National Recovery Plan for Tasmanian Freshwater Galaxiidae*, Department of Primary Industries and Water, Hobart.

Department of Primary Industries, Parks, Water and Environment 2009, *Business Rules for the Creation of the TRE spatial layer. v.3.0*, viewed 14 April 2010, <[http://www.dpiw.tas.gov.au/inter.nsf/Attachments/DRAR-7YHW2X/\\$FILE/Metadata%20and%20Business%20Rules%20for%20TRESP%202009.pdf](http://www.dpiw.tas.gov.au/inter.nsf/Attachments/DRAR-7YHW2X/$FILE/Metadata%20and%20Business%20Rules%20for%20TRESP%202009.pdf)>

Department of Primary Industries, Water and Environment 2001, *Listing Statement: Green and Golden Frog Litoria raniformis*, Threatened Species Unit, Department of Primary Industries, Water and Environment, Hobart, viewed 20 April 2010, <[http://www.dpiwe.tas.gov.au/inter.nsf/Attachments/SJON-5BH4KT/\\$FILE/Litoria%20raniformisLS.pdf](http://www.dpiwe.tas.gov.au/inter.nsf/Attachments/SJON-5BH4KT/$FILE/Litoria%20raniformisLS.pdf)>

DSEWPC (2010) SPRAT Profile: *Hirundapus caudacutus* — White-throated Needletail. Department of Sustainability, Environment, Water, Population and Communities. <www.environment.gov.au/cgi-bin/sprat/public/publicspecies.pl?taxon_id=682> Accessed 14 July 2011.

Department of Environment and Heritage, 2006. *EPBC Act Policy Statement 3.6 Nationally Threatened Species and Ecological Communities Tasmanian Devil (Sarcophilus harrisii)*, Australian Government, [no place].

Department of Sustainability, Environment, Water, Population and Communities <http://www.environment.gov.au/heritage/places/world/tasmanian-wilderness/index.html> accessed 30/5/11.

Department of the Sustainability, Environment, Water, Population and Communities 2011, World Conservation Union (IUCN) Protected Area Categories 2008, <http://www.environment.gov.au/parks/iucn.html#VI>, accessed 30/08/2011.

DHI 2009, *Tasmania Atlantic Salmon Sustainability Study*. Consultancy report written for Sealord New Zealand, 164pp.

DHI 2010, *Petuna Aquaculture Monitoring Programme (May-August 2010)* – Section 3.3.2 Benthic Sampling, DHI/Petuna internal document.

Doubleday, Z, Pecl, G and Hobday, A 2009, *Climate Change Impacts on Tasmania's Marine Life, Information Sheet 3*. Adaption Research Network for Marine Biodiversity & Resources, School of Geography and Environmental Studies, University of Tasmania.

Dowden, BF, Bennett, HJ 1965, 'Toxicity of selected chemicals to certain animals', *J. Wat. Pollut. Control Fed.* 37:1308–1317.

DPIF Marine Farming Development Plan. Macquarie Harbour 1998

DPIW, 2005, Macquarie Harbour Marine Farming Development Plan October 2005, Primary Industries Division, Department of Primary Industries and Water, Hobart.

DPIW 2006, *An overview of escaped salmonids and their potential impacts in Tasmania*. Unpublished report.

DPIWE 1998, *Environmental Impact Statement to accompany a Draft Amendment to the Macquarie Harbour Marine Farming Development Plan October 1998*, Department of Primary Industries, Water and Environment, Hobart, Tasmania 121pp.

- DPIPWE 2004, *Tasmanian Marine Farming Environmental Monitoring Report: Benthic Monitoring (1997-2002)*, Marine Environment Section report.
- DPIWE 2005, *Tasmanian Marine Farming Environmental Monitoring*. Department Of Primary Industries, Water and Environment, Hobart Tasmania.
- DPIPWE (Department of Primary Industries, Parks, Water and Environment) 2008, *Natural values atlas*. Available on the internet at: <http://www.naturalvaluesatlas.dpiw.tas.gov.au>
- DPIPWE (Department of Primary Industries, Parks, Water and Environment) 2009, Records held in DPIPWE's threatened fauna files. Department of Primary Industries, Parks, Water and Environment, Hobart.
- DPIPWE 2010, *Summary of Tasmanian Salmonid Disease Surveillance Activities 2004/05 to 2008/09*, Written Report for the DPIPWE and the TSGA; 23 pp.
- DPIPWE 2011, (Department of Primary Industries, Parks, Water and Environment) <http://www.parks.tas.gov.au/index.aspx?base=391> accessed 7/6/11.
- DPIPWE (Department of Primary Industries, Parks, Water and Environment) 2011, *Natural values atlas*. Available on the internet at: <http://www.naturalvaluesatlas.dpiw.tas.gov.au>
- Drake, JA, Mooney, HA, diCastri, F, Groves, RH, Kruger, FJ, Rejmanek, M and Williamson, M 1989, *Biological invasions: a global perspective*. SCOPE 37. Wiley, New York.
- DTAE (2007) Tasmanian Wilderness World Heritage Area: Table of Changes. Department of Tourism, Arts and the Environment, Tasmania. www.parks.tas.gov.au/file.aspx?id=7059 Accessed 24 May 2012.
- Edgar, GJ, Barrett, NS, and Graddon, DJ 1998, *A Classification of Tasmanian Estuaries and Assessment of their Conservation Significance: an Analysis using Ecological and Physical Attributes, Population and Land Use*. Parks and Wildlife Service, Department of Environment and Land Management, Hobart, Tasmania.
- Edwards, A, and Edelsten, D, 1977, 'Deep water renewal of Loch Etive: a three basin Scottish fjord', *Estuarine and Coastal Marine Science* 5:575–595.
- EIFAC 1984, *Water quality criteria for European freshwater fish: Report on nitrite and freshwater fish*, EIFAC Technical Paper, 46, 19 pp.
- Elton, C 1958, *The ecology of invasions by plants and animals*, Methuen, London, pp181.
- EPBCA Protected Matters Report, 2011, (Department of Sustainability, Environment, Water, Population and Communities) accessed on 23 March 2011
- <<http://www.environment.gov.au/epbc/pmst/index.html>>
- Erickson, RJ 1985, 'An evaluation of mathematical models for the effects of pH and temperature on ammonia toxicity to aquatic organisms', *Water Res.* 19:1047-1058.
- FAO 1983, 'Compilation of legal limits for hazardous substance in fish and fishery products', *FAO fishery circular*, No. 464:5–100.
- FAO 1995, *Code of Conduct for Responsible Fisheries*.

- Farmer, DM and Freeland, HJ 1983, 'The Physical Oceanography of Fjords', *Prog. Oceanogr.* 12(2):147-219.
- Findlay, RH and Watling, L 1997, 'Prediction of benthic impact for salmon net-pens based on the balance of benthic oxygen supply and demand', *Mar. Ecol.: Prog. Ser.* 155:147–157.
- Forest Practices Authority 2008, *FPA Planning Guideline 2008/1: An internal Planning Framework Developed by the Forest Practices Authority for the Purposes of Delivering Management Prescriptions through the Threatened Fauna Adviser to Avoid or Limit the Clearance and Conversion of Significant Habitat for Threatened Forest Fauna*, FPA, Hobart.
- Fraser, DC 1961, 'Organic Sequester of Copper', *Economic Geology* 56:1063-1078.
- FSANZ 2007, *Food Standards Australia and New Zealand Risk Assessment: Oxytetracycline in Tasmanian Salmon and Wild Fish: Internal Report to Tasmanian Department of Health and Human Services*.
- Fuller, SA, Henne, JP, Carmichael, GJ and Tomasso, JR 2003, 'Toxicity of ammonia and nitrite to the Gila Trout', *North American Journal of Aquaculture* 65:162-164.
- Gade, HG 1970, *Hydrographic investigation in the Oslofjord, a study of water circulation and exchange processes*. Rep.24, Geophysical Institute, Bergen, 193pp.
- Gade, HG 1973, 'Deep water exchanges in a sill fjord, a stochastic process', *Journal of Physical Oceanography* 3:213–219.
- Gade, HG and Edwards, A 1979, 'Deep water renewal in fjords', In: Freeland, HJ, Farmer, DM & Levings, CD (eds) *Fjord Oceanography*. NATO Conference Series. Plenum Press, New York, NY, 453–489.
- Garnett, ST and Crowley, GM 2000, *Action plan for Australian birds 2000*. Environment Australia, Canberra.
- Geyer, W and Cannon, G 1982, 'Sill Processes Related to Deep Water Renewal in a Fjord', *J. Geophys. Res.* 87(C10):7985-7996.
- Gibson, MT, Welch, IM, Barrett, PRF, Ridge, I, 1990, 'Barley straw as an inhibitor of algal growth II: Laboratory studies', *J. Appl. Phycol.* 2: 241–248.
- Gillibrand, PA, Cromey, CJ and Black, KD 2006, *Identifying the Risk of Deoxygenation in Scottish Sea Lochs with Isolated Deep Water*. SARF 17, pp.45.
- Gillibrand, PA, Cromey, CJ, Black, KD, Inall, ME and Gontarek, J 2007, *Identifying the risk of deoxygenation in Scottish sea lochs with isolated deep water*. Scottish Association for Marine Science, February 2007, 37pp.
- Gillibrand, PA, Gubbins, MJ, Greathead, C and Davies, IM 2002, *Scottish Executive Locational Guidelines for fish farming: Predicted levels of nutrient enhancement and benthic impacts*. Scottish Fisheries Research report Number 63 / 2002. 52pp.
- Gillibrand, PA, Turrell, WR and Elliott, AJ, 1995, 'Deep-water renewal in the Upper Basin of Loch Sunart, a Scottish Fjord', *Journal of Physical Oceanography* 25:1488–1503.

- Gillibrand, PA, Turrell, WR, Moore, DC and Adams, RD 1996, 'Bottom water stagnation and oxygen depletion in a Scottish sea loch', *Estuarine Coastal and Shelf Science* 43:217–235.
- Gowen, RJ, Brown, JR, Bradbury, NB and McLusky, DS 1988, *Investigation into benthic enrichment, hypernitrification and eutrophication associated with mariculture in Scottish coastal waters (1984–1988)*, Department of Biological Sciences, University of Stirling, Stirling. 289 pp.
- Green, RH 1995, *Birds of Tasmania: an annotated checklist with illustrations*. Potoroo Publishing, Launceston.
- Gustafsson, KE and Bendtsen, J 2007, 'Elucidating the dynamics and mixing agents of a shallow fjord through age tracer modelling', *Estuarine, Coastal and Shelf Science* 74:641–654.
- Hall, DN 1983, 'Occurrence of the copepod parasite *Lernia cyprinacea* L., on the Australian grayling *Prototroctes maraena* Günther', *Proceedings of the Royal Society of Victoria* 95:273–274.
- Hall, POJ, Anderson, LG, Holby, O, Kollberg, S, and Samuelsson, MO 1990, 'Chemical fluxes and mass balances in a marine fish cage farm. I. Carbon', *Mar. Ecol. Prog. Ser.* 61:61–73.
- Hall, POJ, Holby, O, Kollberg, S, and Samuelsson, MO 1992, 'Chemical fluxes and mass balances in a marine fish cage farm. IV. Nitrogen', *Mar. Ecol. Prog. Ser.* 89: 81–91.
- Hallegraeff, GM 1998, 'Transport of Toxic Dinoflagellates via Ships' Ballast Water: Bioeconomic Risk Assessment and Efficacy of Possible Ballast Water Management Strategies', *Marine Ecology Progress Series* 168:297–309.
- Hamlin, HJ 2006, 'Nitrate toxicity in Siberian sturgeon (*Acipenser baeri*)', *Aquaculture* 253:688–693.
- Hansen, LP, Windsor, ML and Youngson, AF 1997, 'Interactions between salmon culture and wild stocks of Atlantic salmon: The scientific and management issues', *ICES Journal of Marine Science* 54:963–1225
- Hargrave, BT, Phillips, GA, Doucette, LI, White, MJ, Milligan, TG, Wildish, DJ and Cranston, RE 1994, 'Assessing Benthic Impacts of Organic Enrichment from Marine Aquaculture', *Water, Air & Soil Pollution* 99 (1-4):641–650
- Hart B, et al 2005, *Ecological Risk Management Framework for the Irrigation Industry*, Water Studies Centre, Monash University, Melbourne, 2005.
- Herrera-Silveira, JA, and Ramfrez-Ramfrez, J, 1996, 'Effects of natural phenolic material (tannin) on phytoplankton growth', *Limnol. Oceanogr.*, 41(5), pp 1018–1023.
- Hetland, RD and Geyer, WR 2004, 'An idealized study of dynamically controlled estuarine scales', *J. Phys. Oceanogr.* 34(12):2677–2691.
- Hetland, RD 2010, 'Estuarine Overmixing', *J. Phys. Oceanogr.* 40:199–211.
- Hickey, CW and Martin, ML 2009, *A review of toxicity of nitrate in aquatic species. Report R09/57*, NIWA Publication.
- Higgins, PJ (ed) 1999, *Handbook of Australian, New Zealand and Antarctic birds. Vol. 4. Parrots to Dollarbird*. Oxford University Press, Melbourne.

- Hilson, D and Hulett, D 2004, *Assessing Risk Probability: Alternative Approaches*, PMI Global Congress, Prague.
- Hobday AJ and Minstrell ML (2008). Distribution and abundance of roadkill on Tasmanian highways: human management options. *Wildlife Research* 35: 712-726.
- Holby, O, and Hall, POJ 1991, 'Chemical fluxes and mass balances in a marine fish cage farm. II. Phosphorus'. *Mar. Ecol. Prog. Ser.* 70: 263–272.
- Holling, CS 1978, *Adaptive environmental assessment and monitoring*, John Wiley and Sons, New York.
- Holmer, M and Kristensen, E 1992, 'Impact of fish cage farming on metabolism and sulfate reduction of underlying sediments', *Mar. Ecol. Progr. Ser.* 80: 191-201.
- Huijbregts, MAJ, Hellweg, S, Frischknecht, R, Hungerbühler, K and Hendriks, AJ 2007, 'Ecological footprint accounting in the life cycle assessment of products', *Ecological Economics* 64:798–807.
- Inall, ME and Rippeth, TP 2002, 'Dissipation and associated mixing in a wide fjord', *Environmental Fluid Dynamics* 2:219–240.
- Inall, ME 2009, 'Internal wave induced dispersion and mixing on a sloping boundary', *Geophysical Research Letters*, 36, L05604, doi: 10.1029/2008GL036849.
- Inall, ME and Gillibrand, PA 2010, 'The Physics of mid-Latitude Fjords: A Review', *Geological Society of London Special Publications* 344:17-33.
- International Union for the Conservation of Nature (IUCN) 2007, *2007 IUCN Red List of Threatened Species*.
- Jackson, PD 1978, 'Benthic invertebrate fauna and feeding relationships of brown trout, *Salmo trutta* Linnaeus, and river blackfish, *Gadopsis marmoratus* Richardson, in the Aberfeldy River, Victoria', *Australian Journal of Marine and Freshwater Research* 29:725–742
- Jackson, PD and Koehn, JD 1988, *A review of biological information, distribution and status of the Australian grayling (Prototroctes maraena) Günther in Victoria*. Arthur Rylah Institute for Environmental Research Technical Report Series No. 52. Conservation Forests and Lands, Melbourne.
- Janzen, CD, Simpson, JH, Inall, ME, and Cottier, F 2005, 'Across-sill circulation near a tidal mixing front in a broad fjord', *Continental Shelf Research* 25 (15):1805-1824.
- Jeffrey, SW, Mantoura, RFC, and Wright, SW 1997, *Phytoplankton pigments in oceanography: guidelines to modern methods*, Monographs on Oceanographic Methodology, 10 UNESCO, Paris, France. 661 pp.
- Jensen, O, Dempster, T, Thorstad, EB, Uglem, I and Fredheim, A 2010, 'Escapes of fishes from Norwegian sea-cage aquaculture: causes, consequences and prevention', *Aquaculture Environment Interactions* 1:71-83.
- Kaspar, HF, Grahame, HH and Holland, AJ 1988, 'Effects of sea cage salmon farming on sediment nitrification and dissimilatory nitrate reductions', *Aquaculture* 70:333-344.

- Kiernan, K 1997, 'Landform Classification for Geoconservation', in Eberhard, R. (ed.), *Pattern and Process: Towards a Regional Approach to National Estate Assessment of Geodiversity*, 1997 Technical Series No. 2, Environment Australia, Canberra, pp. 21-34.
- Kincheloe, JW, Wedemeyer, GA, Koch, DL (1979), 'Tolerance of developing salmonid eggs and fry to nitrate exposure', *Bulletin of Environmental Contamination and Toxicology* 23(1):575–578.
- King, R. D. & Tyler, P. A. (1981). Meromictic lakes of south-west Tasmania. *Australian Journal of Marine and Freshwater Research* 32:741-756.
- Koehnken, L 1996, *Macquarie Harbour – King River Study, Technical Report, June 1996*. Dept. Of Environment and Land Management, Tasmania, 232pp.
- Koehnken, L 2001, *Appendix 26: King River Water Quality Assessment, Basslink Integrated Impact Assessment Statement - Potential Effects of Changes to Hydro Power Generation*, Hydro Tasmania, Hobart
- Koehnken, L 2005, *Overview of Water Quality in Macquarie Harbour and Assessment of Risks due to Copper Levels*. March 2005. A Report to DPIWE, 29pp.
- Koehnken, L 2009, *Summary of Mt Lyell, King River and Macquarie Harbour water quality monitoring 2005-2008*. Draft Report to the Mt Lyell Acid Drainage Project.
- Kriwoken, LK 2001, *Basslink Integrated Impact Assessment Statement. Potential Effects of Changes to Hydro Power Generation. Appendix 13: Gordon River Public Use Assessment* (available http://www.hydro.com.au/system/files/documents/Basslink/IIAS/IIAS_App13_PublicUse.pdf)
- Kroupova, H, Máchová, J and Svobodová, Z 2005, 'Nitrite influence on fish: a review', *Vet. Med. – Czech* 50(11):461–471.
- Inland Fisheries Service, 2006. *Whitebait Fishery Management Plan*, DPIWE, Hobart.
- Last, PR and Gledhill, DC 2007, 'The Maugean Skate, *Zearaja maugeana* sp. nov. (Rajiformes: Rajidae)— a micro-endemic, Gondwanan relict from Tasmanian estuaries', *Zootaxa* 1494: 45–65
- Last, P.R. & Gledhill, D.C. 2009. A revision of the Australian handfishes (Lophiiformes: Brachionichthyidae), with descriptions of three new genera and nine new species. *Zootaxa* 2252: 15-19
- Lawrence, C. and Donnelly, C. 2010. *Save the Tasmanian Devil Program Roadkill Report*, Department of Primary Industries, Parks, Water and Environment, Hobart.
- Lavelle, JW, Cokelet, ED and Cannon, GA 1991, 'A model study of density intrusions and circulation within a deep silled estuary: Puget Sound', *J. Geophys. Res.* 96(C9):16779-16800.
- Lean, G 2006, 'Cow "emissions" more damaging to planet than CO2 from cars', UK. *The Independent*, Sunday 10 December: 1 pp.
- Lewis, W.M. and Morris, D.P. 1986. 'Toxicity of nitrite to fish: a review', *Transactions of the American Fisheries Society* 115:183-195.
- Liungman, O, Rydberg, L, Göransson, CG 2001, 'Modeling and Observations of Deep Water Renewal and Entrainment in a Swedish Sill Fjord', *Journal of Physical Oceanography* 31(12):3401–3420.

- Lucieer, V, Lawler M, Pender, A and Morffew, M 2009, SEAMAP TASMANIA – MAPPING THE GAPS. Tasmanian Aquaculture and Fisheries Institute, University of Tasmania 188pp.
- McConnell, A and Clark, L 1996, *Strahan foreshore historic cultural heritage inventory and assessment projects*, Part 1. Report to Mount Lyell Remediation Research and Demonstration Program.
- McDowall, RM 1976, 'Fishes of the Family Prototroctidae', *Australian Journal of Marine and Freshwater Research* 27(4):641-659.
- McDowall, RM 1996a, 'Family Prototroctidae Southern graylings', pp 96–98 in McDowall, RM (ed.), *Freshwater Fishes of South-eastern Australia*. Reed Books, Chatswood.
- McDowall, RA 2006, 'Crying wolf, crying foul, or crying shame: alien salmonids and a biodiversity crisis in the southern cool-temperate galaxioid fishes?', *Reviews in Fish Biology and Fisheries* 16:233–422
- McLachlan, A and Hesp, P 1984, 'Surf zone diatom accumulations on the Australian coast', *Search*, 15, 230–231.
- Mantoura, RFC, Jeffrey, SW, Llewellyn, CA, Claustre, H, Morales, CE 1997, 'Comparison between spectrophotometric, fluorometric and HPLC methods for chlorophyll analysis', In: Jeffrey SW, Mantoura RFC, Wright SW (eds) *Phytoplankton pigments in oceanography: Guidelines to modern methods*. UNESCO, Paris, p 361.
- Marine and Marine Industries Council 2002, *A Seal/Fishery Interaction Management Strategy*. Department of Primary Industries and Water. Hobart, Tasmania 12pp.
- Marine Harvest, *Sustainable Seafood the Marine Harvest Way*. web page: <http://marineharvest.com/PageFiles/1543/Marine%20Harvest%20-%20Sustainable%20Seafood%20-%20Our%20way.pdf>, accessed 16/10/2011.
- Munkung, R and Gheewala, SH 2007, 'Use of life cycle assessment (LCA) to compare the environmental impacts of aquaculture and agri-food products'. In DM Bartley, C Brugere, D Soto, P Gerber, B Harvey, eds. *Comparative assessment of the environment costs of 211 aquaculture and other food production sectors: methods of meaningful comparisons*. Rome. FAO. *FAO Fisheries Proceedings* 10:87–96.
- Naylor, R, Hindar, K, Fleming, I, Goldberg, R, Williams, S, Volpe, J, Whoriskey, F, Eagle, J, Kelso, D and Mangel, M 2005, 'Fugitive Salmon: Assessing the Risks of Escaped Fish from Net-Pen Aquaculture', *BioScience* 55:427-437.
- Nowak, D and Duda, S 1996, *Effects of exposure to sub lethal levels of copper of fish-farmed trout*. Mount Lyell Remediation Research and Demonstration Program Supervising Scientist Report 117, Supervising Scientist, Canberra.
- OBPRT 2006, *Orange-bellied Parrot Recovery Team*. Department of Primary Industries and Water (DPIW). Hobart, Tasmania.
- O'Connor, NA, Cannon, F, Zampatti, B, Cottingham, P and Reid, M 1996, *A pilot biological survey of Macquarie Harbour, Western Tasmania*. Mount Lyell Remediation Research and Demonstration Program, Supervising Scientist Report 113, Supervising Scientist, Canberra.
- Okuda, T 1981, 'Water exchange and the balance of phosphate in the Gulf of Cariaco, Venezuela', in Richard, F.A. (ed.) *Coastal Upwelling*., *Coast. Estuar. Sci.* 1:274-281.

- Parsons, TR, Stevens, K and Strickland, JDH 1991, 'On the chemical composition of eleven species of marine phytoplankton', *J. Fish. Res. Bd. Canada* 18: 1001-1016.
- Pearson, TH, and Rosenberg, R 1978, 'Macrobenthic succession in relation to organic enrichment and pollution of the marine environment', *Oceanography and Marine Biology: an Annual Review* 16:229-311.
- Percival, S 2004, *Tasmanian Salmonid Farming Industry Code of Practice, Working Draft*.
- Pilgaard, L, Malte, H, Jensen, FB 1994, 'Physiological effects and tissue accumulation of copper in freshwater rainbow trout (*Oncorhynchus mykiss*) under normoxic and hypoxic conditions', *Aquatic Toxicology* 29(3-4):197-212.
- Pillinger, JM, Cooper, JA and Ridge, I 1994, 'Role of phenolic compounds in the antialgal activity of barley straw', *J. Chem. Ecol.* 20 (7):1557-1569.
- Pink, K 1984, *Through hell's gates: A history of Strahan and Macquarie Harbour*, The Advocate, Burnie.
- Pišťeková, V, Voslářová, E and Svobodová, Z 2005, 'Nitrite Toxicity to *Danio rerio*: Effects of Chloride Concentrations during Acclimatization and in Toxicity Tests', *Acta Vet. Brno* 74:435-440.
- Pogonoski, J.J., D.A. Pollard & J.R. Paxton (2002). *Conservation Overview and Action Plan for Australian Threatened and Potentially Threatened Marine and Estuarine Fishes*. [Online]. Canberra, ACT: Environment Australia. Available from: <http://www.environment.gov.au/coasts/publications/marine-fish-action/pubs/marine-fish.pdf>.
- Rhee, GY 1978, 'Effects of N:P atomic ratios and nitrate limitation on algal growth, cell composition, and nitrate uptake', *Limnol. Oceanogr.* 23:10-25.
- Ridge, I, Walters, J. and Street, M 1999, 'Algal growth control by terrestrial leaf litter: a realistic tool?', *Hydrobiologia* 395/396:173-180.
- Riley, I 2010, *Dissolved Organic Carbon Export from Head Water Streams in Forested Catchments*. University of Tasmania, Unpublished thesis.
- Russo, RC, Smith, CE and Thurston, RV 1974, 'Acute toxicity of nitrite to rainbow trout (*Salmo gairdneri*)', *Jour. Fish. Res. Bd. Can.*, 31:1653.
- Russo, RC and Thurston, RV 1975, *Acute toxicity of nitrite to cutthroat trout (Salmo clarki)*, Fisheries Bioassay Laboratory Tech. Report No. 75-3, Montana State University.
- Ryther, JH, and Dunstan, WH 1971, 'Nitrogen, phosphorus, and eutrophication in the coastal marine environment', *Science* 171:1008-1013.
- Saito, K, Matsumoto, M, Sekine, T, Murakoshi, I, Morisaki, N, Iwasaki, S 1989, 'Inhibitory Substances from *Myriophyllum brasiliense* on Growth of Blue-Green Algae', *J. Nat. Prod.*, 1989, 52 (6), pp 1221-1226.
- Sakai, AK, Allendorf, FW, Holt, JS, Lodge, DM, Molofsky, J, with Baughman, S, Cabin, RJ, Cohen, JE, Ellstrand, NC, McCauley, DE, O'Neil, P, Parket, IM, Thompson, JN, Weller, SG 2001, 'The population biology of introduced species', *Annual Review of Ecology and Systematics* 32:305- 332.

- Shetland Seafood Quality Control 2009, *AutoDepomod Modelling Report. An assessment of the potential maximum biomass supported at Table Head, Macquarie Harbour – Tasmania*. Consultancy Report written for Hambrey Consulting, 16pp.
- Skills Tasmania 2008, *West Coast Regional Profile, Part 1: Demographic and Social Profile of West Coast Localities (2006 Census Data)*, viewed May 2011 <http://www.skills.tas.gov.au/providers/industryadvice/training_demand_profiles>
- Soto, D, Jara, F and Moreno, G 2001, 'Escaped salmon in the Chiloe and Aysen inner seas, southern Chile: facing ecological and social conflicts', *Ecological Applications* 11(6):1750-1762.
- Spotte, S and Adams, G 1983, 'Estimation of the Allowable Upper Limit of Ammonia in Saline Waters', *Marine Ecology - Progress Series* 10:207-210.
- Standards Australia / Standards New Zealand 2006, *Environmental Risk Management – Principles and process*, Standards Australia / Standards New Zealand, Sydney.
- Stankey, G and Allan, C 2009, *Adaptive environmental management: A practitioners guide*, Springer/CSIRO Publishing, Dordrecht.
- Starks, J and Holdsworth, M 2003, *Draft Orange-bellied Parrot Recovery Plan 2003-2007 (Phase 4)*, Birds Australia.
- Stauber, JL, Ahsanullah, M, Nowak, B and Florence, TM 1996, *Toxicity Assessment of waters from Macquarie Harbour, Western Tasmania using algae, invertebrates and fish*. Mount Lyell Remediation Research and Demonstration Program Supervising Scientist Report 112, Supervising Scientist, Canberra.
- Stauber, JL, Benning, RJ, Hales, LT, Erikson, R and Nowak, B 2000, 'Copper bioavailability and amelioration of toxicity in Macquarie Harbour, Tasmania, Australia.' *Mar. Freshwater Res.* 51:1-10.
- Steer, M and Lyle, J 2003, *Monitoring escapees in Macquarie Harbour: a collaborative study between the salmon industry (TSGA) and the Tasmanian Aquaculture and Fisheries Institute*.
- Stigebrandt, A 1981, 'A mechanism governing the estuarine circulation in deep, strongly stratified fjords.' *Estuar. Coast. Shelf Sci.* 13:197-211
- Stigebrandt, A, and Aure, J 1989, 'Vertical mixing in basin waters of fjords', *J. Phys. Oceanogr.* 19:917-926.
- Svobodova, Z, Lloyd, R, Machova, J and Vykusova, B 1993, *Water quality and fish health*, EIFAC technical paper, No. 54, ROME, FAO, 59 pp.
- Swift Parrot Recovery Team 2001, *Swift Parrot Recovery Plan*, Department of Primary Industries, Water and Environment, Hobart.
- Tasmanian Geoconservation Database v7.0 2008, accessed from <http://www.dpiw.tas.gov.au/inter.nsf/WebPages/LBUN-6TY32G?open>
- Tasmanian Heritage Register accessed 17 March 2011 <<http://www.heritage.tas.gov.au/thr.html>>
- Teasdale, P, Apte, S, Batley, G, and Ford, P 1996, *The behaviour of copper in sediments and waters of Macquarie Harbour, western Tasmania*. Mount Lyell Remediation Research and Demonstration Program, Supervising Scientist Report 111, Supervising Scientist, Canberra.

- Thorstad, EB, Fleming, IA, McGinnity, P, Soto, D, Wennevik, V and Whoriskey, F 2008, *Incidence and impacts of escaped farmed Atlantic salmon *Salmo salar* in nature*. NINA Special Report 36. 110pp.
- Threatened Species Section 2006, *Threatened Tasmanian Eagles Recovery Plan 2006-2010*, Department of Primary Industries and Water, Hobart.
- Threatened Species Scientific Committee, [no date]. *Sarcophilus harrisii* (Tasmanian Devil) Listing Advice, Threatened Species Scientific Committee, [no place].
- Threatened Species Scientific Committee (TSSC) 2004, *Commonwealth Listing Advice on Raja sp. L (Maugean Skate)*.
- Threatened Species Scientific Committee (TSSC) (2009). Listing advice for *Sarcophilus harrisii* (Tasmanian Devil). www.environment.gov.au/biodiversity/threatened/species/pubs/299-listing-advice.pdf Accessed on 1 May 2012.
- Threatened Species Scientific Committee (TSSC) 2010, *Commonwealth Listing Advice on Tasmanian Azure Kingfisher* (*Ceyx azureus diemenensis*).
- Threatened Species Scientific Committee 2008, *Commonwealth Conservation Advice on Lowland Native Grasslands of Tasmania*, Department of the Environment, Water, Heritage and the Arts, viewed 20 April 2010, <<http://www.environment.gov.au/biodiversity/threatened/communities/pubs/74-listing-advice.pdf>>.
- Tong, GD, and Williamson, B 1998, *Modelling of the hydrodynamics and chemistry of Macquarie Harbour, western Tasmania*, Mount Lyell Remediation, supervising scientist report 136.
- Tourism Research Australia 2011, *The Economic Importance of Tourism in Australia's Regions*, 8635655001DO001_201012 Tourist Accommodation, Small Area Data, Tasmania, Dec 2010 – ABS
- Troell, M, Tyedmers, P, Kautsky, N and Rönnbäck, P 2004, 'Aquaculture and energy use'. In C Cleaveland, ed. *Encyclopaedia of Energy*, pp. 97–108. Amsterdam, Elsevier.
- Tyedmers, P, Pelletier N and Ayer, N 2007, *Marine Aquaculture and the Sustainability of Seafood Production Systems: A comparative analysis*. A report to the United States Marine Aquaculture Task Force, convened by the Woods Hole Oceanographic Institution.
- Tyler, P., Terry, C. and Howland, M., 2001. Basslink Integrated Impact Assessment Statement Appendix 11 - Gordon River Meromictic Lakes Assessment. Hydro Tasmania.
- US Environmental Protection Agency 1976, *Quality criteria for water. Rpt. No. EPA-440/9-76-023*, U.S. EPA. Washington, DC, pp. 201-209.
- US Environmental Protection Agency 1986, *Quality Criteria for Water. EPA 440/5-86-001*, Washington, DC.
- US Environmental Protection Agency 2009, *2009 Edition of the Drinking Water Standards and Health Advisories*, EPA 822-R-09-011, Office of Water U.S. Environmental Protection Agency Washington, DC.

- US Environmental Protection Agency 2009b, *Aquatic life ambient water quality criteria for ammonia – freshwater. Draft 2009 update*. EPA-822-D-09-001.
- Vitousek, PM, Mooney, HA, Lubchenco, J and Melillo, JM 1997, 'Human domination of Earth's ecosystems', *Science*, 277:494-499.
- Wapstra, M, Bryant, S, and Bell, P 2010, 'Conservation overview of the azure kingfisher *Ceyx azureus* subsp. *diemenensis* in Tasmania', *Tasmanian Bird Report* 34: 8-23.
- Ware, J 1908, *Strahan: Macquarie Harbour*, originally published by John Ware, Strahan and produced in 1981 as a facsimile edition by the Zeehan Pioneers' Museum.
- Westin, DT 1974, 'Nitrate and nitrite toxicity to salmonid fishes', *Progressive Fish Culturist* 36:86-9.
- Wiersma, JM and Richardson, A 2009, 'Foraging of White-bellied Sea-eagles (*Haliaeetus leucogaster*) in relation to marine fish farms in Tasmania', *Corella* 33(3):71-79.
- Wright, SW 2005, Analysis of phytoplankton populations using pigment markers. Course notes for a workshop "Pigment Analysis of Antarctic Microorganisms", University of Malaya, June 29 – July 1, 2005, 52pp.